Ceiling Mount

Sky Panels, Flush Mount
& LED Disk Lights

Round & Square **Sky Panels**

10″ to 18″ **Flush Mount**
& 4″ and 6″ **Disk Lights**

Introducing the Sky Panels™

The ELCO Sky Panels™ were designed to replicate a small skylight. Their smooth, even glow comes from edge-lit LED technology and glare control lens. Suitable for any room, the ELCO Sky Panels™ have a subtle thickness of 0.62″ and can be easily installed into our fire box for a 2-hour fire rating. Available in 4 sizes, 2 forms, and 2 finishes.

The Sky Panels™

DIMMABLE

90+ CRI

TITLE 24 COMPLIANT

INTEGRATED LED

IC RATED

AIRTIGHT

WET LOCATION

ENERGY STAR

CCT SWITCH





Mounting Plate



Test Switch

Optional Emergency
Battery Backup (90 minutes)



Edge-lit LED Technology


Frosted Lens

Beveled Edge Design

4″, 6″, 8″ & 12″ Sky Panel™ Lighting

- 4″, 6″, 8″ & 12″ Round and Square LED Sky Panels
- Fits 3 ½″ and 4″ Octagon and Round junction boxes with included mounting plate
- Fits 4″ and 6″ Housings with optional mounting accessories
- Edge-Lit LED technology with glare control lens for even glow
- Frosted lens and beveled edge design
- Dimmable to 10% with select dimmers
- IC Rated and Wet Location Rated
- ETL listed
- JA8 2016 E-Compliant

Input Power	11.8W - 13.7W
Lumens	850 - 1100
Color Temp.	2700K / 3000K / 4000K 3-CCT Switch
CRI	93+
Wet Location	UL listed
Dimmable	Triac/ELV or 0-10V
Beam Angle	60° Standard 10°, 25°, 36° Optional



4″ to 12″ Round Sky Panels™



4″ to 12″ Square Sky Panels™



Fits 3 ½″ and 4″ Octagon and Round Junction Boxes with included mounting plate



Emergency Battery Backup

- 15W, Up to 900 lm of emergency output
- 90 minutes of emergency light
- Test switch and charge rate indicator
- 24-hour recharge time
- ETL listed, ENERGY STAR, JA8, Title 24 Certified
- 120V, 50/60 Hz.
- 7 ⅞″ O.D.
- For use with 4″ & 6″ Sky Panels Only



LED Decorative **Flush Mount** Lighting

- These residential and light commercial fixtures are the perfect lighting solution for any room design
- Modern and energy efficient ceilign and flush mount LED products will fulfill a variety of your lighting demands

LED Flush Mount Lights

Input Power	14W - 30W
Lumens	980 - 2100
Voltage	120V
Color Temp	3000K - 4000K
CRI	90+
Damp Loc	UL Listed



Darby™ LED Flush Mounts

10″ to 18″

SIZE	DIAMETER	HEIGHT
10″	9 7⁄8″	2 3⁄4″
12″	12 1⁄8″	3 3⁄8″
14″	14 1⁄8″	3 3⁄4″
16″	16 1⁄8″	4 3⁄4″
18″	18 1⁄8″	4 3⁄4″

CCT SWITCH **Available for 14″ Darby™ LED Flush Mount**



Dustin™ LED Flush Mounts

12″ to 16″

SIZE	DIAMETER	HEIGHT
12″	12 1⁄8″	3 3⁄8″
14″	14 1⁄8″	3 3⁄4″
16″	16 1⁄8″	4 3⁄8″

4″ to 6″ LED **Disk Lights**




Medium Base Adapter Included

4″ & 6″ **Alva™** LED Disk Light (Wet Location)



Junction Box



OR

Recessed Housing



OR

Square New Construction Box

