
Residential & Light Commercial

# The Alpine™ System

## LED Recessed Light Fixtures

### For MR16 Lamping



All Alpine System Housings are CA Title 24 with JA8 Lamps in place at time of inspection

ELCO Lighting

*Innovation Beyond Expectation*

Over two and a half decades ago, in the heart of Los Angeles, ELCO Lighting was founded on the philosophy that high quality lighting products should be sold at a fair market price. Our commitment to this philosophy and dedication to exceptional customer service serve as the very soul of our company. We take pride in our perpetual commitment to such standards that enable us to continually prosper in a highly competitive and unpredictable industry. With our expanding LED product line that entails recessed, track, undercabinet, outdoor and emergency lighting, we are ready to fulfill a variety of lighting demands. Quality engineering, fair market value, professional customer service, and micro-managed inventory are the cornerstones of ELCO Lighting.

# CONTENTS

**3" Housings** **8**
Bi-Pin Lamp
GU-10 Lamp
Dedicated LED Housings

**3" Trims** **14**

**4" Housings** **22**
Bi-Pin Lamp
GU-10 Lamp
Dedicated LED Housings


**4" Trims** **28**

**Accessories** **41**

The **Quality** Choice



The **Timely** Choice









The **Contractor's** Choice



The **Leading** Choice





The **Trusted** Choice

ELCO Lighting

*The Best Choice in Lighting*






# 3″ Housings & Trims


| | |
|---|---|
| For 12V Bi-Pin Lamp | 9 |
| For 120V GU-10 Lamp | 11 |
| Dedicated LED Housings | 13 |
| 3″ Trims | 14 |

# Fixtures for 12V Bi-Pin MR16 LED Lamp

ELCO offers housings and trims designed for use with high end LED lamps, providing an easy way to save energy on new construction or remodel projects.

**Electronic or Magnetic Transformer for LED Lamp**



**IC Airtight Housing for LED Lamps with Bi-Pin Base**

**Bi-Pin GU5.3 Socket**


**12V Bi-Pin MR16 LED Lamp**





**Standard ELCO MR16 Trim**

# 3" Housings for 12V Bi-Pin MR16 LED Lamp




**EL2699LDICA**
Magnetic Transformer

**EL2699LDICEA**
Electronic Transformer


## 3" New Construction

*IC Airtight for Insulated Ceilings*

Features GU5.3 Bi-Pin socket for use with Bi-Pin LED MR16 lamps.
For New Construction installation.




**INPUT VOLTAGE** 120V AC
**TRANSFORMER** Step-down 120V to 12V included
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trim
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed




**EL2699LDRICA**
Magnetic Transformer

**E2699LDRICEA**
Electronic Transformer

## 3" Remodel

*IC Airtight for Insulated Ceilings*

Features GU5.3 Bi-Pin socket for use with Bi-Pin LED MR16 lamps.
For Remodel installation.




**INPUT VOLTAGE** 120V AC
**TRANSFORMER** Step-down 120V to 12V included
**WATTAGE** 14W Max
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trim
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed

## Bi-Pin MR16 LED Lamp

**MR16LD**
12V Power, 90+ CRI, Dimmable
500lm
3000K
7W




SORAA Simply Perfect Light™



**NOTE:**
Major lamp manufacturers 12V Bi-Pin MR16 LED Lamps can also be used in our 3" Housings.

# Fixtures for 120V GU-10 MR16 LED Lamp

ELCO offers housings and trims designed for use with high end LED lamps, providing an easy way to save energy on new construction or remodel projects.



**IC Airtight Housing for 120V LED Lamps with GU-10 Base**

**GU-10 Socket**



**GU10 Base 120V MR16 LED Lamp**



**Standard ELCO MR16 Trim**

# 3" Housings for 120V GU-10 MR16 LED Lamp




**EL39LDICA**

**EL39LDICA-7**
277V
(includes 277V to 120V
step-down transformer)


## 3" New Construction

*IC Airtight for Insulated Ceilings*

Features twist and lock socket for use with 120V GU-10 MR16 LED Lamps.
For New Construction installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed




**EL39LDRICA**

## 3" Remodel

*IC Airtight for Insulated Ceilings*

Features twist and lock socket for use with 120V GU-10 MR16 LED Lamps.
For Remodel installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed

## GU-10 MR16 LED Lamps

**MR120-GU10LD**
120V Power, 90+ CRI, Dimmable
500lm
3000K
7W



SORAA
Simply Perfect Light™




**NOTE:**
Major lamp manufacturers 120V GU-10 MR16 LED Lamps can also be used in our 3" Housings.

# Dedicated LED Housings and Inserts

Can be used for **T24** California title 24 High Efficacy Compliance

Dedicated housings are UL listed as IC Airtight for use in insulated ceilings. They include a male quick connect. PSA34 Lamp includes a female quick connect. Trims are standard MR16 Trims.



**IC Airtight Housing for LED Lamps and Inserts**

**Quick Connect**




**LED Lamp with Quick Connect**



**Standard ELCO MR16 Trim**

# 3" Dedicated LED **Housings**

Can be used for **T24** California title 24 High Efficacy Compliance




**EL390ICA**


**EL390ICA-7**
277V
(includes 270V to 120V
step-down transf ormer)

## 3" New Construction


*IC Airtight for Insulated Ceilings*

120V housing with quick connect. For New Construction installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed
**TITLE 24** Compliant





**EL390RICA**

## 3" Remodel

*IC Airtight for Insulated Ceilings*

120V housing with quick connect. For Remodel installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**5" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed
**TITLE 24** Compliant

## Quick Connect MR16 LED Lamp

**PSA37**
120V Power, 90+ CRI, Dimmable
500lm
3000K
7W



# 3" Trims

## Die Cast Shower Trims with Lens

Frosted Domed Glass Lens. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2616W**
White
with Dome Lens



**EL2616B**
Black
with Dome Lens



**EL2612W**
White
with Frosted Lens



**EL2613W**
White
with Clear Lens

## Die Cast Adjustable Reflector Trim

25° Adjustability. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2621W**
White Ring with
White Reflector



**EL2621B**
White Ring with
Black Reflector



**EL2621C**
White Ring with
Chrome Reflector



**EL2621G**
White Ring with
Gold Reflector



**EL2621BB**
All Black



**EL2621BBZ**
Bronze Ring with
Black Reflector



**EL2621BZ**
All Bronze



**EL2621CP**
All Copper



**EL2621CC**
All Chrome



**EL2621CN**
Nickel Ring with
Chrome Reflector



**EL2621GG**
All Gold



**EL2621GN**
Nickel Ring with
Gold Reflector

## Die Cast Adjustable Baffle Trim

25° Adjustability. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2693B**
White Ring with
Black Reflector



**EL2693W**
All White



**EL2693BB**
All Black



**EL2693BZ**
All Bronze



**EL2693BN**
Nickel Ring with
Black Baffle



**EL2693WN**
Nickel Ring with
White Baffle



**EL2693CP**
All Copper



**EL2693N**
All Nickel



**EL2693WBZ**
Bronze Ring with
White Baffle

# 3" Trims

## Adjustable Pull Down Trim

0°-90° tilt, 359° Rotation. O.D. 4 5/16"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL2696N**
All Nickel



**EL2696W**
All White

## Die Cast Adjustable Pull Down Trim

30° Adjustability, 358° Rotation. O.D. 4 5/16"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2688W**
All White



**EL2688B**
All Black



**EL2688BZ**
All Bronze



**EL2688CP**
All Copper



**EL2688C**
All Chrome



**EL2688G**
All Gold



**EL2688N**
All Nickel

## Die Cast Pinhole Trim

With Reflector, 2" Aperture. O.D. 4 5/16"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2619WC**
White Ring with
Chrome Reflector



**EL2619WB**
White Ring with
Black Reflector

## Die Cast Slot Aperture Trim

45° Adjustability. O.D. 4 5/16"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2620W**
All White

## Adjustable Reflector Wall Wash Trim

45° Adjustability, O.D. 4 5/16"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2622B**
White Ring with
Black Reflector



**EL2622C**
White Ring with
Chrome Reflector



**EL2622W**
All White



**EL2622CP**
All Copper



**EL2622G**
White Ring with
Gold Reflector

# 3" Trims

## Adjustable Baffle Wall Wash Trim

45° Adjustability, O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2624B**
White Ring with
Black Baffle



**EL2624N**
All Nickel



**EL2624W**
All White



**EL2624CP**
All Copper

## Adjustable Baffle Wall Wash

Scoop with Baffle. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2695B**
White Ring with
Black Baffle



**EL2695W**
All White

## Cross Blade Reflector Trim

Cross Blade Reduces Glare. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2644B**
White Ring with
Black Cross Blade



**EL2644C**
White Ring with
Chrome Cross Blade



**EL2644W**
All White



**EL2644G**
White Ring with
Gold Cross Blade

## Decorative Glass Trim

Decorative Glass Trim. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2652BL**
White Ring with
Blue Glass



**EL2653W**
White Ring with
White Glass



**EL2653BL**
White Ring with
Blue Glass

# 3" Trims

## Louvered Bottom Trim

Louver Reduces Light Glare. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2633W**
All White



**EL2633B**
All Black

## Suspended Glass Lens Trim

Offset Glass Panel Trim. O.D. 4 5/16"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2660W**
White with Glass



**EL2660B**
Black with Glass

## Square Specular Reflector Trim

4 5/16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2321B**
White Ring with Black Reflector



**EL2321BZ**
All Bronze



**EL2321C**
White Ring with Chrome Reflector



**EL2321G**
White Ring with Gold Reflector



**EL2321W**
All White



**EL2321WBZ**
Bronze Ring with White Reflector



**EL2321CN**
Nickel Ring with Chrome Reflector

## Square Phenolic Baffle Trim

Square Trim on Round Baffle. 4 5/16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2393B**
White Ring with Black Baffle



**EL2393W**
White



**EL2393BZ**
All Bronze




**EL2393BN**
Nickel Ring with Black Baffle



**EL2393WBZ**
Bronze Ring with White Baffle



**EL2393N**
All Nickel



**EL2393BBZ**
Bronze Ring with Black Baffle



**EL2393BB**
All Black

# 3″ Trims

## Square Pull Down Trim

4 5⁄16″ Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL2396W**
All White



**EL2396B**
All Black



**EL2396N**
All Nickel



**EL2396BZ**
All Bronze

## Square Shower Trim

4 5⁄16″ Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2312W**
White with
Frosted Lens



**EL2313W**
White with
Clear Lens

## Die Cast Adjustable Square Trim

0°-30° Tilt. 4 5⁄16″ Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2388W**
All White



**EL2388B**
All Black



**EL2388N**
All Nickel



**EL2388BZ**
All Bronze

## Adjustable Slot Aperture Trim

4 5⁄16″ Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*




**EL2320W**
All White



**EL2320B**
All Black



**EL2320N**
All Nickel



**EL2320BZ**
All Bronze

# 3" Trims

## Adjustable Wall Wash Reflector

4 5⁄16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2322B**
White Ring with Black Reflector



**EL2322C**
White Ring with Clear Reflector



**EL2322W**
All White


## Adjustable Wall Wash Baffle Trim

4 5⁄16" Square


*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*




**EL2324W**
All White




**EL2324N**
All Nickel



**EL2324BBZ**
Black Ring with Bronze Baffle



**EL2324BZ**
All Bronze



**EL2324B**
White Ring with Black Baffle

## Wall Wash Baffle Square Trim

4 5⁄16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2395W**
All White



**EL2395B**
White Ring with Black Baffle

## Square Adjustable Reflector Trim

Die Cast Square on Square. 4 5⁄16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2382W**
All White



**EL2382C**
White Ring with Clear Reflector



**EL2382CN**
Nickel Ring with Clear Reflector



**EL2382BB**
All Black



**EL2382BZ**
All Bronze

## Die Cast Square Baffle Trim

Die Cast Aluminum Square on Square. 4 5⁄16" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2384W**
All White



**EL2384B**
All Black



**EL2384N**
All Nickel



**EL2384BZ**
All Bronze






# 4″ Housings & Trims


| | |
|---|---|
| For 12V Bi-Pin Lamp | 23 |
| For 120V GU-10 Lamp | 25 |
| Dedicated LED Housings | 27 |
| 4″ Trims | 28 |

# Fixtures for 12V Bi-Pin MR16 LED Lamp

ELCO offers housings and trims designed for use with high end LED lamps, providing an easy way to save energy on new construction or remodel projects.

**Electronic or Magnetic Transformer for LED Lamp**



**IC Airtight Housing for LED Lamps with Bi-Pin Base**

**Bi-Pin GU5.3 Socket**


**12V Bi-Pin MR16 LED Lamp**





**Standard ELCO MR16 Trim**

# 4" Housings for 12V Bi-Pin MR16 LED Lamp




**EL1499LDICA**
Magnetic Transformer

**EL1499LDICEA**
Electronic Transformer


## 4" New Construction

*IC Airtight for Insulated Ceilings*

Features GU5.3 Bi-Pin socket for use with Bi-Pin LED MR16 lamps.
For New Construction installation.




**INPUT VOLTAGE** 120V AC
**TRANSFORMER** Step-down 120V to 12V included
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed




**EL1499LDRICA**
Magnetic Transformer

**E1499LDRICEA**
Electronic Transformer

## 4" Remodel

*IC Airtight for Insulated Ceilings*

Features GU5.3 Bi-Pin socket for use with Bi-Pin LED MR16 lamps.
For Remodel installation.




**INPUT VOLTAGE** 120V AC
**TRANSFORMER** Step-down 120V to 12V included
**WATTAGE** 14W Max
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed

## Bi-Pin MR16 LED Lamp

**MR16LD**
12V Power, 90+ CRI, Dimmable
500lm
3000K
7W




SORAA Simply Perfect Light™



**NOTE:**
Major lamp manufacturers 12V Bi-Pin MR16 LED Lamps can also be used in our 3" Housings.

# Fixtures for 120V GU-10 MR16 LED Lamp

ELCO offers housings and trims designed for use with high end LED lamps, providing an easy way to save energy on new construction or remodel projects.



**IC Airtight Housing for 120V LED Lamps with GU-10 Base**

**GU-10 Socket**




**GU10 Base 120V MR16 LED Lamp**



**Standard ELCO MR16 Trim**

# 4" Housings for 120V GU-10 MR16 LED Lamp




**EL49LDICA**

**EL49LDICA-7**
277V
(includes 270V to 120V
step-down transformer)


## 4" New Construction

*IC Airtight for Insulated Ceilings*

Twist and lock socket for use with 120V GU-10 MR16 LED Lamps.
For New Construction installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed




**EL49LDRICA**

## 4" Remodel

*IC Airtight for Insulated Ceilings*

Twist and lock socket for use with 120V GU-10 MR16 LED Lamps.
For Remodel installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed

## GU-10 MR16 LED Lamps

**MR120-GU10LD**
120V Power, 90+ CRI, Dimmable
500lm
3000K
7W



SORAA Simply Perfect Light




**NOTE:**
Major lamp manufacturers 120V GU-10 MR16 LED Lamps can also be used in our 3" Housings.

# Dedicated LED Housings and Inserts

Dedicated housings are UL listed as IC Airtight for use in insulated ceilings. They include a male quick connect. PSA34 Lamp includes a female quick connect. Trims are standard MR16 Trims.

Can be used for **T24** California title 24 High Efficacy Compliance



**IC Airtight Housing for LED Lamps and Inserts**

**Quick Connect**




**LED Lamp with Quick Connect**



**Standard ELCO MR16 Trim**

# 4" Dedicated LED **Housings**

Can be used for **T24** California title 24 High Efficacy Compliance




**EL490ICA**

**EL490ICA-7**
277V
(includes 270V to 120V step-down transformer)


## 4" New Construction

*IC Airtight for Insulated Ceilings*

120V housing with quick connect. For New Construction installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**CAPTIVE HANGER BARS** Span 24". Can be repositioned at 90°. Includes Real Nail
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed
**TITLE 24** Compliant




**EL490RICA**

## 4" Remodel

*IC Airtight for Insulated Ceilings*

120V housing with quick connect. For Remodel installation.




**INPUT VOLTAGE** 120V AC
**WATTAGE** 14W Max
**5½" HEIGHT** Allows for use in 2x6 Construction
**ADJUSTABLE HOUSINGS** Accommodates up to 1 ¼" Celling thickness
**AIRFLOW REQUIREMENTS** Meets restricted airflow (Per ASTM E-283)
**DAMP LOCATION** UL Listed
**WET LOCATION** UL Listed with Shower Trims
**DIRECT CONTACT WITH INSULATION** UL Listed
**FEED THROUGH** UL Listed
**TITLE 24** Compliant

## Quick Connect MR16 LED Lamp

**PSA37**
120V Power, 90+ CRI, Dimmable
500lm
3000K
7W



# 4" Trims

## Adjustable Shower Trim with Clear Lens

Chrome Reflector and Clear Lens. O.D. 4 ¾"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1411B**
Black with Clear Lens



**EL1411BZ**
Bronze with Clear Lens



**EL1411CP**
Copper with Clear Lens



**EL1411C**
Chrome with Clear Lens



**EL1411W**
White with Clear Lens



**EL1411N**
Nickel with Clear Lens



**EL1411SH**
White Lexan with Clear Lens



**EL1411G**
Gold with Clear Lens

## Adjustable Shower Trim with Frosted Lens

Chrome Reflector and Frosted Lens. O.D. 4 ¾"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1412B**
Black with Frosted Lens



**EL1412W**
White with Frosted Lens



**EL1412N**
Nickel with Frosted Lens



**EL1412CP**
Copper with Frosted Lens



**EL1412C**
Chrome with Frosted Lens



**EL1412SH**
White Lexan Ring Frosted Lens



**EL1412BZ**
Bronze with Frosted Lens



**EL1416W**
White with Dome Lens

## Adjustable Shower Trim with Clear Center

Chrome Reflector and Frosted Glass with Clear Center. O.D. 4 ¾"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EI1415B**
Black



**EL1415W**
White




**EL1415N**
Nickel



**EL1415BZ**
Bronze



**EL1415G**
Gold



**EL1415C**
Chrome



**EL1415SH**
Lexan Ring

# 4" Trim

## Drop Adjustable with Gimbal Ring

0°-90° Tilt. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1418W**
White

## Adjustable Slot Aperture Trim

Aperture 1 3/8" x 2 ¼". O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1420BZ**
Bronze



**EL1420CP**
Copper



**EL1420B**
Black



**EL1420W**
White



**EL1420N**
Nickel



**EL1420G**
Gold

## Pinhole Trim

1 7/8" Aperture. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1419W**
All White



**EL1419B**
Black Baffle
with White Ring

# 4" Trims

## Adjustable Reflector Trim

Adjustable Lamp Holder. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1421B**
White Ring with Black Reflector



**EL1421BB**
All Black



**EL1421GBZ**
Bronze Ring with Gold Reflector



**EL1421BN**
Nickel Ring with Black Reflector



**EL1421H**
White Ring with Haze Reflector



**EL1421BZ**
All bronze



**EL1421C**
White Ring with Chrome Reflector



**EL1421G**
White Ring with Gold Reflector



**EL1421W**
All White



**EL1421CC**
All Chrome



**EL1421CCP**
Copper Ring with Chrome Reflector



**EL1421CP**
All Copper



**EL1421WBZ**
Bronze Ring with White Reflector



**EL1421GCP**
Copper Ring with Gold Reflector



**EL1421WN**
Nickel Ring with White Reflector



**EL1421CN**
Nickel Ring with Chrome Reflector



**EL1421GN**
Nickel Ring with Gold Reflector



**EL1421GG**
All Gold

## Adjustable Wall Wash

45° Adjustability, 359° Rotation. O.D. 4 7/8"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1422W**
All White



**EL1422B**
White Ring with Black Reflector



**EL1422BZ**
All Bronze



**EL1422CP**
All Copper



**EL1422C**
White Ring with Chrome Reflector

## Reflector Trim with Suspended Frosted Glass

O.D. 4 7/8"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1426W**
White Ring




**EL1426B**
Black Ring



**EL1426BZ**
Bronze Ring




**EL1426CP**
Copper Ring



**EL1426C**
Chrome Ring



**EL1426G**
Gold Ring



**EL1426N**
Nickel Ring

# 4" Trims

## Adjustable Pinhole Trim

Baffle with 2" Aperture. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1423B**
White Ring with Black Baffle



**EL1423BN**
Nickel Ring with Black Baffle



**EL1423BZ**
All Bronze



**EL1423CP**
All Copper



**EL1423W**
All White



**EL1423WN**
Nickel Ring with White Baffle

## Adjustable Baffle Wall Wash Trim

45° Adjustability. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1424BZ**
All Bronze



**EL1424N**
All Nickel



**EL1424CP**
All Copper



**EL1424B**
White Ring with Black Baffle



**EL1424W**
All White

## Adjustable Spot Trim

O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1425B**
All Black



**EL1425N**
All Nickel



**EL1425W**
All White

# 4" Trims

## Adjustable Reflector Pinhole Trim

O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1429C**
White Ring with
Chrome Reflector



**EL1429G**
White Ring with
Gold Reflector



**EL1429BBZ**
Bronze Ring with
Black Reflector



**EL1429CN**
Nickel Ring with
Chrome Reflector



**EL1429BN**
Nickel Ring with
Black Reflector



**EL1429BCP**
Copper Ring with
Black Reflector



**EL1429W**
All White



**EL1429B**
White Ring with
Black Reflector

## Adjustable Wall Wash with Reflector Trim

O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1445W**
All White



**EL1445B**
White Ring with
Black Reflector



**EL1445C**
White Ring with
Chrome Reflector



**EL1445G**
White Ring with
Gold Reflector

## Frosted Glass Trim

With White Trim Ring. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1452R**
Red



**EL1452W**
Frosted White

## Frosted Step Glass Trim

With White Trim Ring. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1453W**
Frosted White



**EL1453BL**
Blue

# 4" Trims

## Adjustable Slot Aperture Trim

Aperture 1 3/8" x 2 1/4". O.D. 4 3/4"
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL1430W**
All White



**EL1430N**
All Nickel

## Cross Blade Reflector Trim

Cross Blade Reduces Glare. O.D. 4 7/8"
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL1444C**
White Ring with
Chrome Cross Blade

## Gimbal Ring with Baffle Trim

O.D. 4 3/4"
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL1433B**
White Ring with
Black Baffle



**EL1433W**
All White

## Gimbal Ring with Deep Baffle Trim

O.D. 4 3/4"
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL1434WB**
White Ring with
Black Baffle



**EL1434WW**
All White

## Pull Down Trim with Snoot

Adjustable with Directional Snoot. 85° Adjustability, 359° Rotation. O.D. 4 3/4"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL1487B**
All Black



**EL1487N**
All Nickel



**EL1487W**
All White



**EL1487BZ**
All Bronze

## Adjustable Spot Trim

0°-30° Tilt. O.D. 4 3/4"
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1488BZ**
All Bronze



**EL1488CP**
All Copper



**EL1488W**
All White



**EL1488N**
All Nickel



**EL1488B**
All Black

# 4" Trims

## Adjustable Step Baffle Trim

Phenolic or Metal Baffle. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1493B**
White Ring with Black Baffle



**EL1493W**
All White



**EL1493N**
All Nickel



**EL1493BB**
All Black



**EL1493BC**
Chrome Ring with Black Baffle



**EL1493BZ**
All Bronze



**EL1493CP**
All Copper



**EL1493BCP**
Copper Ring with Black Baffle



**EL1493BBZ**
Bronze Ring with Black Baffle



**EL1493WBZ**
Bronze Ring with White Baffle



**EL1493BG**
Gold Ring with Black Baffle



**EL1493BN**
Nickel Ring with Black Baffle



**EL1493WN**
Nickel Ring with White Baffle

## Adjustable Metal Step Baffle

Metal Baffle with Metal Ring. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1493MB**
White Ring with Black Baffle



**EL1493MW**
All White

## Adjustable Phenolic Step Baffle

Phenolic Baffle with Die Cast Ring. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1493DB**
White Ring with Black Baffle



**EL1493DW**
All White

## Adjustable Phenolic Deep Step Baffle Trim

Deep Phenolic Baffle. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*




**EL1494W**
All White



**EL1494B**
White Ring with Black Baffle



**EL1494BG**
Gold Ring with Black Baffle



**EL1494BN**
Nickel Ring with Black Baffle



**EL1494WN**
Nickel Ring with White Baffle

# 4" Trims

## Baffle Wall Wash Trim

O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1495B**
White Ring with Black Baffle



**EL1495W**
All White

## Pull Down Trim

0°-90° Tilt, 359° Rotation. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL1497W**
All White



**EL1497B**
All Black



**EL1497G**
All Gold



**EL1497N**
All Nickel



**EL1497CP**
All Copper



**EL1497BZ**
All Bronze

## Adjustable Eyeball Trim with Baffle

Rim Baffle. O.D. 4 ¾"

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1498W**
White with Black Baffle



**EL1498B**
All Black



**EL1498WW**
All White



**EL1498G**
Gold with Black Baffle

## Deep Square Baffle Trim

Square on Square. 4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL1491W**
All White



**EL1491B**
White Ring with Black Baffle

# 4" Trims

## Reflector Square Shower Trim

With Clear Lens. 4 ¾" Square
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL2411W**
White Ring with
Chrome Reflector

## Adjustable Shower Trim with Frosted Lens

Chrome Reflector and Frosted Lens. 4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2412W**
White Ring with
Chrome Reflector

**EL2412BZ**
Bronze Ring with
Chrome Reflector

**EL2412N**
Nickel Ring with
Chrome Reflector

## Shower Trim with Round Drop

4 ¾" Square
*Lamp: LED 2-Wire MR16,*
*LED Bi-Pin MR16, LED GU10 MR16*



**EL2416W**
White

## Square Trim with Pinhole

Chrome Reflector and Frosted Pinhole Lens. 4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2415BZ**
Bronze Ring with
Chrome Reflector

**EL2415W**
White Ring with
Chrome Reflector

**EL2415N**
Nickel Ring with
Chrome Reflector

## Square Specular Reflector Trim

4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2421B**
White Ring with
Black Reflector

**EL2421BZ**
All Bronze

**EL2421C**
White Ring with
Chrome Reflector

**EL2421G**
White Ring with
Gold Reflector

**EL2421W**
All White



**EL2421WBZ**
Bronze Ring with
White Reflector

**EL2421CN**
Nickel Ring with
Chrome Reflector

## Square Pinhole with Baffle

4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2423W**
All White

**EL2423B**
White Ring with
Black Baffle

**EL2423BZ**
All Bronze

# 4" Trims

## Square Adjustable Pinhole with Reflector

4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2429C**
White Ring with Chrome Reflector



**EL2429W**
All White

## Steel Square Adjustable Baffle Trim

Steel Construction Square on Square. 4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2483W**
All White

## Square Gimbal with Baffle

Rim Baffle. 4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2440B**
All Black



**EL2440BZ**
All Bronze



**EL2440W**
All White



**EL2440N**
All Nickel

## Square Gimbal

4 ¾" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2443W**
All White



**EL2443BZ**
All Bronze



**EL2443B**
All Black

## Die Cast Square Baffle Trim

Die Cast Aluminum Square on Square. 4 3/4" Square
*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2484W**
All White



**EL2484BZ**
All Bronze

# 4" Trims

## Die Cast Adjustable Square Trim

0°-30° Tilt. 4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2488W**
All White



**EL2488B**
All Black



**EL2488N**
All Nickel



**EL2488BZ**
All Bronze

## Square Phenolic Baffle Trim

Square Trim on Round Baffle. 4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2493B**
White Ring with
Black Baffle



**EL2493W**
White



**EL2493BZ**
All Bronze



**EL2493BN**
Nickel Ring with
Black Baffle



**EL2493WBZ**
Bronze Ring with
White Baffle



**EL2493N**
All Nickel



**EL2493BBZ**
Bronze Ring with
Black Baffle



**EL2493BB**
All Black

## Square Trim with Pull Down

4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL2497B**
All Black



**EL2497W**
All White



**EL2497N**
All Nickel



**EL2497BZ**
All Bronze

## Square Trim with Square Pull Down

4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL2427B**
All Black



**EL2427W**
All White

## Drop Adjustable with Gimbal Ring

0°-90°. Adjustability. 4 ¾" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2418W**
All White

# 4" Trims

## Adjustable Slot Spinnable Aperture Trim

4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*




**EL2420W**
All White



**EL2420B**
All Black



**EL2420N**
All Nickel



**EL2420BZ**
All Bronze


## Adjustable Wall Wash Baffle Trim

4 7/8" Square


*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*




**EL2424W**
All White




**EL2424N**
All Nickel



**EL2424BBZ**
Black with
Bronze Ring



**EL2424BZ**
All Bronze



**EL2424B**
White Ring with
Black Baffle



**EL2424BB**
All Black

## Suspended Frosted Glass

With Chrome Reflector. 4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2426B**
Black Ring with
Chrome Reflector



**EL2426N**
Nickel Ring with
Chrome Reflector



**EL2426BZ**
Bronze Ring with
Chrome Reflector



**EL2426W**
White Ring with
Chrome Reflector

## Adjustable Wall Wash Reflector

4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2445W**
All White



**EL2445B**
White Ring with
Black Reflector



**EL2445C**
White Ring with
Chrome Reflector



**EL2445G**
White Ring with
Gold Reflector

# 4" Trims

## Adjustable Pull Down Trim with Snoot

85° Adjustability, 359° Rotation. 4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16*



**EL2487W**
All White



**EL2487B**
All Black



**EL2487N**
All Nickel



**EL2487BZ**
All Bronze

## Frosted Glass Square Trim

With White Ring. 4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2452W**
Frosted White



**EL2452R**
Red

## Gimbal Ring Baffle Trim

4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2434WW**
All White



**EL2434WB**
White Ring with Black Baffle

## Frosted Stepped Glass Trim

With White Ring. 4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2453W**
Frosted White



**EL2453BL**
Blue

## Phenolic Deep Baffle Square Trim

4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2494W**
All White



**EL2494B**
All Black

## Wall Wash Baffle Square Trim

4 7/8" Square

*Lamp: LED 2-Wire MR16, LED Bi-Pin MR16, LED GU10 MR16*



**EL2495W** All White



**EL2495B**
White Ring with Black Baffle

# Accessories

## 3" Metal Trim Rings

4 1/4" O.D.

*Metal Rings for 3" Trims*



**RM3W**
White



**RM3B**
Black



**RM3C**
Chrome



**RM3G**
Gold



**RM3N**
Nickel



**RM3BZ**
Bronze



**RM3CP**
Copper

## 4" Metal Trim Rings

4 1/2" O.D. Regular Ring, 5 1/2" O.D. Over Size Ring

*Metal Rings for 4" Trims*



**RM4W**
White



**RM4B**
Black



**RM4C**
Chrome



**RM4G**
Gold



**RM4N**
Nickel



**RM4BZ**
Bronze



**RM4CP**
Copper



**OM4W**
Oversized White



**OM4B**
Oversized Black

## Replacement Hangers Bars

24" Replacement Hanger Bars for Plaster Frames

*Set of 2*



**HB24**

# Index


E1499LDRICEA....23
E2699LDRICEA....9
EL39LDICA....11
EL39LDICA-7....11
EL39LDRICA....11
EL49LDICA....25
EL49LDICA-7....25
EL49LDRICA....25
EL390ICA....13
EL390ICA-7....13
EL390RICA....13
EL490ICA....27
EL490ICA-7....27
EL490RICA....27
EL1411B....28
EL1411BZ....28
EL1411C....28
EL1411CP....28
EL1411G....28
EL1411N....28
EL1411SH....28
EL1411W....28
EL1412B....28
EL1412BZ....28
EL1412C....28
EL1412CP....28
EL1412N....28
EL1412SH....28
EL1412W....28
El1415B....28
EL1415BZ....28
EL1415C....28
EL1415G....28
EL1415N....28
EL1415SH....28
EL1415W....28
EL1416W....28
EL1418W....29
EL1419B....29
EL1419W....29
EL1420B....29
EL1420BZ....29
EL1420CP....29
EL1420G....29
EL1420N....29
EL1420W....29
EL1421B....30
EL1421BB....30
EL1421BN....30
EL1421BZ....30
EL1421C....30
EL1421CC....30
EL1421CCP....30
EL1421CN....30
EL1421CP....30
EL1421G....30
EL1421GBZ....30
EL1421GCP....30
EL1421GG....30
EL1421GN....30
EL1421H....30
EL1421W....30
EL1421WBZ....30
EL1421WN....30
EL1422B....30
EL1422BZ....30
EL1422C....30
EL1422CP....30
EL1422W....30
EL1423B....31
EL1423BN....31
EL1423BZ....31
EL1423CP....31
EL1423W....31
EL1423WN....31
EL1424B....31
EL1424BZ....31
EL1424CP....31
EL1424N....31
EL1424W....31
EL1425B....31
EL1425N....31
EL1425W....31
EL1426B....30
EL1426BZ....30
EL1426C....30
EL1426CP....30
EL1426G....30
EL1426N....30
EL1426W....30
EL1429B....32
EL1429BBZ....32
EL1429BCP....32
EL1429BN....32
EL1429C....32
EL1429CN....32
EL1429G....32
EL1429W....32
EL1430N....33
EL1430W....33
EL1433B....33
EL1433W....33
EL1434WB....33
EL1434WW....33
EL1444C....33
EL1445B....32
EL1445C....32
EL1445G....32
EL1445W....32
EL1452R....32
EL1452W....32
EL1453BL....32
EL1453W....32
EL1487B....33
EL1487BZ....33
EL1487N....33
EL1487W....33
EL1488B....33
EL1488BZ....33
EL1488CP....33
EL1488N....33
EL1488W....33
EL1491B....35
EL1491W....35
EL1493B....34
EL1493BB....34
EL1493BBZ....34
EL1493BC....34
EL1493BCP....34
EL1493BG....34
EL1493BN....34
EL1493BZ....34
EL1493CP....34
EL1493DB....34
EL1493DW....34
EL1493MB....34
EL1493MW....34
EL1493N....34
EL1493W....34
EL1493WBZ....34
EL1493WN....34
EL1494B....34
EL1494BG....34
EL1494BN....34
EL1494W....34
EL1494WN....34
EL1495B....35
EL1495W....35
EL1497B....35
EL1497BZ....35
EL1497CP....35
EL1497G....35
EL1497N....35
EL1497W....35
EL1498B....35
EL1498G....35
EL1498W....35
EL1498WW....35
EL1499LDICA....23
EL1499LDICEA....23
EL1499LDRICA....23
EL2312W....18
EL2313W....18
EL2320B....18
EL2320BZ....18
EL2320N....18
EL2320W....18
EL2321B....17
EL2321BZ....17
EL2321C....17
EL2321CN....17
EL2321G....17
EL2321W....17
EL2321WBZ....17
EL2322B....19
EL2322C....19
EL2322W....19
EL2324B....19
EL2324BB....19
EL2324BBZ....19
EL2324BZ....19
EL2324N....19
EL2324W....19
EL2382C....19
EL2382CN....19
EL2382BB....19
EL2382BZ....19
EL2382W....19
EL2384B....19
EL2384BZ....19
EL2384N....19
EL2384W....19
EL2388B....18
EL2388BZ....18
EL2388N....18
EL2388W....18
EL2393B....17
EL2393BB....17
EL2393BBZ....17
EL2393BN....17
EL2393BZ....17
EL2393N....17
EL2393W....17
EL2393WBZ....17
EL2395B....19
EL2395W....19
EL2396B....18
EL2396BZ....18
EL2396N....18
EL2396W....18
EL2411W....36
EL2412BZ....36
EL2412N....36
EL2412W....36
EL2415BZ....36
EL2415N....36
EL2415W....36
EL2416W....36
EL2418W....38
EL2420B....39
EL2420BZ....39
EL2420N....39
EL2420W....39
EL2421B....36
EL2421BZ....36
EL2421C....36
EL2421CN....36
EL2421G....36
EL2421W....36
EL2421WBZ....36
EL2423B....36
EL2423BZ....36
EL2423W....36
EL2424B....39
EL2424BB....39
EL2424BBZ....39
EL2424BZ....39
EL2424N....39
EL2424W....39
EL2426B....39
EL2426BZ....39
EL2426N....39
EL2426W....39
EL2427B....38
EL2427W....38
EL2429C....37
EL2429W....37
EL2434WB....40
EL2434WW....40
EL2440B....37
EL2440BZ....37
EL2440N....37
EL2440W....37
EL2443B....37
EL2443BZ....37
EL2443W....37
EL2445B....39
EL2445C....39
EL2445G....39
EL2445W....39
EL2452R....40
EL2452W....40
EL2453BL....40
EL2453W....40
EL2483W....37
EL2484BZ....37
EL2484W....37
EL2487B....40
EL2487BZ....40
EL2487N....40
EL2487W....40
EL2488B....38
EL2488BZ....38
EL2488N....38
EL2488W....38
EL2493B....38
EL2493BB....38
EL2493BBZ....38
EL2493BN....38
EL2493BZ....38
EL2493N....38
EL2493W....38
EL2493WBZ....38
EL2494B....40
EL2494W....40
EL2495B....40
EL2495W....40
EL2497B....38
EL2497BZ....38
EL2497N....38
EL2497W....38
EL2612W....14
EL2613W....14
EL2616B....14
EL2616W....14
EL2619WB....15
EL2619WC....15
EL2620W....15
EL2621B....14
EL2621BB....14
EL2621BBZ....14
EL2621BZ....14
EL2621C....14
EL2621CC....14
EL2621CN....14
EL2621CP....14
EL2621G....14
EL2621GG....14
EL2621GN....14
EL2621W....14
EL2622B....15
EL2622C....15
EL2622CP....15
EL2622G....15
EL2622W....15
EL2624B....16
EL2624CP....16
EL2624N....16
EL2624W....16
EL2633B....17
EL2633W....17
EL2644B....16
EL2644C....16
EL2644G....16
EL2644W....16
EL2652BL....16
EL2653BL....16
EL2653W....16
EL2660B....17
EL2660W....17
EL2688B....15
EL2688BZ....15
EL2688C....15
EL2688CP....15
EL2688G....15
EL2688N....15
EL2688W....15
EL2693B....14
EL2693BB....14
EL2693BN....14
EL2693BZ....14
EL2693CP....14
EL2693N....14
EL2693W....14
EL2693WBZ....14
EL2693WN....14
EL2695B....16
EL2695W....16
EL2696N....15
EL2696W....15
EL2699LDICA....9
EL2699LDICEA....9
EL2699LDRICA....9
HB24....41
MR16LD....9, 23
MR120-GU10LD....11, 25
OM4B....41
OM4W....41
PSA37....13, 27
RM3B....41
RM3BZ....41
RM3C....41
RM3CP....41
RM3G....41
RM3N....41
RM3W....41
RM4B....41
RM4BZ....41
RM4C....41
RM4CP....41
RM4G....41
RM4N....41
RM4W....41



CAT. # 1037
$18.00



ELCO Lighting

**Customer Service**
customerservice@elcolighting.com
800.522.2626

2042 East Vernon Avenue
Los Angeles, CA 90058
Telephone 323-231-2600
elcolighting.com

© ELCO Lighting. The marks appearing in this catalog are registered trademarks of ELCO Lighting unless otherwise noted. Products shown in this brochure are covered by U.S. and international patents and patents pending. Specifications subject to change without notice. Other marks used herein are recognized trademarks of their respective companies.

Printed in the USA